

Work Order ID 160475

160475

Page 1

Tuesday, May 02, 2017 10:54:50 AM

Item ID: 647.7710 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Strut Tube
 Start Date: 5/3/2017 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 5/11/2017 Req'd Qty: 4.00 ***4*** Customer:
 Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: DAS 21 8-88 Date: **MAY 02 2017** Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
647.7700	A2								

110 0.00
110
 Mill Conv Memo 0.49 B.A. 17-05-17 4 0 DAS 08 9-88
 Conventional Milling Machine
 1- CUT AS PER DWG
 2- Mill end of tube as per dwg
 3- DEBURR AS PER DWG

120 0.00
120
 QC Memo 0.00 B.A. 4 0 DAS 14 9-88
 Quality Control QC6- All purchased or subcontracted products QC2 17.05.17 QC8 4 0 DAS 38 9-88
MAY 19 2017

130 0.00
130
 Packaging Memo 0.00 (4) DAS
 Packaging ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV*** 17.05.17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐								
		OTHER : ☐							

Work Order ID 160475

Tuesday, May 02, 2017 10:54:50 AM

160475

Page 2

Item ID: 647.7710

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Strut Tube

Start Date: 5/3/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 5/11/2017 Req'd Qty: 4.00

4

Customer:

Reference: (P.A.)SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

140

QC21- Final Inspection - Work Order Release

0.00


140

QC

Memo

0.00

Quality Control

17/5/25 
 MAY 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Picklist Print

Tuesday, May 02, 2017 10:54:50 AM

Page 1

Work Order ID: 160475

160475

Parent Item: 647.7710

647 7710

Parent Item Name: Strut Tube

Start Date: 5/3/2017

Required Date: 5/11/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A 12.11.06 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT0.500W.083		Purchased	No			110	f	8.2920	0.82	3.452632			
M4130NT0 500W 083													
4130 RD tube .500 x .083W													

Location

Loc Qty

Loc Code

MAT032

8.292

M136493

8.292

3.334

DAS
32
9-89

17-05-04

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					




APICAL INDUSTRIES, INC.
dba DART AEROSPACE

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

ENGINEERING CHANGE NOTICE NO. 05397		SHEET 1 OF 1	
DWG NO. 647.7700	REV: A	PREPARED BY T. CROSS	DATE: 05/02/16
DWG TITLE: STRUT ASSY			
APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: <i>[Signature]</i>
REASON: REVISED DIMENSION			EFFECT ON DWG ☐ INC. ☒ UNINC.
			ECR: 16-028
			ACTION LIST: 1.

SHEET 2, ZONE D4 IS:



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 160475

MCS
170508

DOCUMENTS EFFECTED:	☐ PATTERN	☐ MDL	☐ INSTALL INSTRU	☐ ICA	☐ BOM	CHANGE CATEGORY	DER REVIEW REQUIRED
						☐ MAJOR ☒ MINOR	☐ YES ☒ NO



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR *[Signature]*

MFG

[Signature]

QC

[Signature]

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY				DER REVIEW REQUIRED	
☐ MAJOR ☐ MINOR				☐ YES ☐ NO	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
- 5 DEBURR AND BREAK ALL SHARP EDGES
- 6 IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
- 9 MASK THREAD PRIOR TO FINISH

REV.	DESCRIPTION	DATE	APPROVED
N/C	LAST PROTOTYPE REVISION (P2)		N/C
N/C	INITIAL RELEASE	12/02/09	P. BRAVO
A	UNINCORPORATED ECN(46)	11/13/14	P. BRAVO


647.7701

647.7703

647.7702

UNINCORPORATED ECN(s)

05110, 05397,



1			5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△
1	1	1	3	647.7712	STRUT TUBE	△	
	1		2	647.7711	STRUT TUBE	△	
		1	1	647.7710	STRUT TUBE	△	
△	△	△		647.7703	STRUT ASSY		△△
△	△	△		647.7702	STRUT ASSY		△△
△	△	△		647.7701	STRUT ASSY		△△
7703	7702	7701	FIND #	PART #	DESCRIPTION	MAT'L	SPEC.
QTY				PARTS LIST			
NEXT ASSY (S)				APICAL INDUSTRIES			
647.7300				2608 TEMPLE HEIGHTS DR.			
646.4000				OCEANSIDE, CA. 92056-3512 (760)724-5300			
				STRUT ASSY			
				SHEET	SCALE	DWG NO.	REV
				1	0/2X1/2	647.7700	A
				SHEET 1 OF 2			








APICAL INDUSTRIES

2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

STRUT ASSY

REV	AGE CODE	DWG NO	REV
B	07M26	647.7700	A

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED



1/4 - 28 THREAD

ORIGINAL DATE: 1/10/06 MOD DATE: 1/10/06 DRAWN BY: J. JACKSON CHECKED BY: D. BARTER DRAWING APPROVAL: P. BRAYO		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
CONTRACT NO.		STRUT ASSY	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1. PLACE DECIMALS 1.01 2. PLACE DECIMALS 1.00 3. ANGLES 1/2°	REV.	DWG. NO.	REV.
8	0	647.7700	A
SCALE: NONE	SHEET 2 OF 2		